

Luoyang Jiecheng Bearing Technology Co., Ltd

Tel:0086-379-68611678 Fax:0086-379-68611679 Email: sales@jcb-bearing.com

No.	Bearing number	Size(d*D*H)			Weight (Kg)	Price (CRF)
		d	D	H		
1	NNCF5008 DA.V.C4.S3	40	38	68	0.52	22.91
2	NN310K/P6	50	80	23	0.42	12.49
3	NN310K/P5	50	80	23	0.42	16.72
4	NN310K/P51	50	80	23	0.42	16.72
5	NU1012M	60	95	18	0.49	6.79
6	NN3012/P4	60	95	26	0.71	67.35
7	NN3012K/P5	60	95	26	0.71	19.24
8	NU1013M	65	100	18	0.52	8.27
9	NUP1014M	70	110	20	0.74	9.74
10	NN3014K/P6	70	110	30	1.06	18.21
11	NN3014K/P5	70	110	30	1.06	24.28
12	NU1015M	75	115	20	0.73	10.80
13	NU1015M/C4	75	115	20	0.73	10.80
14	NN3015K/P6	75	115	30	1.14	19.01
15	NN3015K/P62	75	115	30	1.14	19.01
16	NN3015K/P5	75	115	30	1.14	25.31
17	NN3015K/P52	75	115	30	1.14	25.31
18	NN3016K/P5W33	80	125	34	1.5	29.55
19	NN3016K/P6	80	125	34	1.53	21.19
20	NN3016K/P62	80	125	34	1.53	21.19
21	NN3016K/P5	80	125	34	1.53	28.18
22	NN3016K/P52	80	125	34	1.53	28.18
23	NN3016K/P59	80	125	34	1.5	28.18
24	NN3017K/P5	85	130	34	1.59	30.01
25	NN3018K/P6	90	140	37	2.12	26.92
26	NN3018K/P69	90	140	37	2.12	26.92
27	NN3018K/P5	90	140	37	2.12	35.85
28	NN3018K/P52	90	140	37	2.12	35.85
29	NN3018K/P59	90	140	37	2.12	35.85
30	NN3018K/P4	90	140	37	2.12	126.00
31	NN3019K/P5	95	145	37	2.21	36.88
32	NJ1020	100	150	24	1.48	16.72
33	NN3020K/P52W33	100	150	37	2.1	45.02
34	NN3020K/P6	100	150	37	2.2	32.19
35	NN3020K/P68	100	150	37	2.2	32.19
36	NN3020K/P69	100	150	37	2.2	32.19

37	NN3020K/P5	100	150	37	2.2	42.84
38	NN3020K/P52	100	150	37	2.2	42.84
39	NN3020K/P59	100	150	37	2.2	42.84
40	NN3020K	100	150	37	2.1	21.42
41	NF1021M/C4	105	160	26	1.99	20.39
42	NF1021EM/C4	105	160	60	1.99	20.39
43	NN3021K/P5W33	105	160	41	2.95	51.77
44	NN3021K/P6	105	160	41	2.95	37.00
45	NN3021K/P68	105	160	41	2.95	37.00
46	NN3021K/P69	105	160	41	2.95	37.00
47	NN3021K/P5	105	160	41	2.95	49.25
48	NN3021K/P52	105	160	41	2.95	49.25
49	NN3021K/P58	105	160	41	2.95	49.25
50	NN3021K/P59	105	160	47	2.95	49.25
51	NU1022M	110	170	28	2.34	19.47
52	NN3022K/P5	110	170	45	3.74	52.23
53	NN3024K/P6	120	180	46	3.89	48.91
54	NN3024K/P5	120	180	46	3.89	65.29
55	NN3024K	120	180	46	3.89	32.65
56	NN3024K/SPC9	120	180	46	3.89	515.45
57	NU1026Q1/P5S0	130	200	33	3.83	64.37
58	NU1026Q1/P53S0	130	200	33	3.83	64.37
59	NU1026M/P6	130	200	33	3.84	42.95
60	NU1026M/P63	130	200	33	3.84	42.95
61	NU1026M/P5	130	200	33	3.84	57.27
62	NU1026M	130	200	33	3.84	28.64
63	NU1026M/C3	130	200	33	3.84	28.64
64	NU1026M/C4	130	200	33	3.84	28.64
65	NN3026K/P4W33	130	200	52	5.76	225.65
66	NN3026K/P62W33	130	200	52	5.76	68.61
67	NN3026K/P5W33	130	200	52	5.76	80.64
68	NN3026K/P52W33	130	200	52	5.76	80.64
69	NN3026K/P6	130	200	52	5.36	65.29
70	NN3026K/P5	130	200	52	5.36	80.64
71	NN3026K/P52	130	200	52	5.36	80.64
72	NN3026K/SPC9	130	200	52	5.87	561.27
73	NU1028M	140	210	33	4.5	34.94
74	NU1028M/C4	140	210	33	4.08	34.94
75	NN3028K/P6	140	210	53	6.43	71.36
76	NN3028K/P5	140	210	53	6.43	95.07
77	NN3028K/P52	140	210	53	6.43	95.07
78	NN3028/P6	140	210	53	6.43	71.36
79	NN3028/P5	140	210	53	6.54	95.07

80	N1030	150	225	56	4.77	44.10
81	NN3030K/P52	150	225	56	7.7	120.27
82	NN3030	150	225	56	7.7	59.91
83	NNF5032-2LSNV/W33	160	240	108	17.3	337.91
84	NN3032K/P5	160	240	60	8.39	120.27
85	NN3032K/P5W33	160	240	60	9.07	131.73
86	NN3032K/P52W33	160	240	60	9.07	131.73
87	NN3032K/UP	160	240	60	9.25	633.44
88	NU1034M	170	260	42	8.31	64.49
89	NU1034M/C2	170	260	42	8.31	64.49
90	NU1034M/C3	170	260	42	8.31	64.49
91	NN3034K/P5	170	260	67	12.8	163.80
92	NF1036X2WCM/P6	180	280	55	12	136.31
93	NN3036K/P5	180	280	74	16.7	194.73
94	N036L1/C4	180	280	46	10.2	45.82
95	NU1038ENR/P53CO	190	290	46	10.6	134.02
96	NU1038M	190	290	46	10.8	87.86
97	NU1040NQ1/P57S0	200	310	51	14.3	60.02
98	NN3040K/P6W33	200	310	82	22.6	200.45
99	NN3040K/P5W33	200	310	82	22.4	241.69
100	NN3040K/P52W33	200	310	82	22.6	241.69
101	NN3040K/P61	200	310	82	24.26	194.73
102	NN3040K/P5	200	310	82	22.6	234.82
103	NN3040K	200	310	82	22.6	129.44
104	NU1044Q1/P6S0	220	340	56	19.1	248.56
105	NU1044Q1/P63S0	220	340	56	19.1	248.56
106	NU1044Q1/P53S0	220	340	56	19.1	319.58
107	NU1044Q1/S0	220	340	56	19.1	177.55
108	NU1044M/C3	220	340	56	19	142.04
109	NU1044M/P63S0	220	340	56	19.3	219.93
110	NU1044M/S0	220	340	56	19	148.91
111	NN3044K/P5	220	340	90	30	352.80
112	NN3044/P5	220	340	90	30	352.80
113	NN3044K/P5W33	220	340	90	29.1	361.96
114	NN3044K/P52W33	220	340	90	29.1	361.96
115	NU1048Q1/P6S0	240	360	56	20.4	288.65
116	NU1048Q1/P63S0	240	360	56	20.4	288.65
117	NU1048Q1/P5S0	240	360	56	20.1	371.13
118	NU1048Q1/P53S0	240	360	56	20.1	371.13
119	NU1048Q1/S0	240	360	56	20.4	206.18
120	NU1048M	240	360	56	20.1	164.95
121	NU1048M/C3	240	360	56	20.1	164.95
122	NU1048M/P6S0	240	360	56	20.4	255.44

123	NU1048M/S0	240	360	56	20.4	172.96
124	NJ1048M	240	360	56	20.8	172.96
125	NJ1048	240	360	56	20.8	172.96
126	NU3248EM	240	360	92	35.5	254.29
127	NN3048/C2	240	360	92	32.3	180.98
128	N048F1	240	360	37	14.7	93.47
129	N1052F1	260	400	65	30.8	148.91
130	NNF5052-2LSNV/W33	260	400	189	80.2	1030.91
131	NNF5052-2LSNV/C9W33	260	400	189	80.2	1030.91
132	NU1052M	260	400	65	31.4	213.05
133	NU1052F1	260	400	65	29.4	163.80
134	NUP1052F1	260	400	65	29.5	186.71
135	NU1052WBF1	260	400	65	31.2	239.40
136	NN3052KM/P5	260	400	104	47.1	423.82
137	NN3052KM/P52	260	400	104	47.1	423.82
138	NN3052KM	260	400	104	47.1	211.91
139	NN3052K/P6	260	400	104	47.1	318.44
140	NN3052K/P5	260	400	104	47.1	423.82
141	NN3052K/P52	260	400	104	47.1	423.82
142	NN3052K	260	400	104	47.1	211.91
143	NN3052K/C2	260	400	104	47.1	211.91
144	NN3052M	260	400	104	48.5	211.91
145	NN3052	260	400	104	47.1	211.91
146	N052F1	260	400	44	22.7	152.35
147	NU1056M/P5	280	420	65	33.4	465.05
148	NU1056M	280	420	65	33.4	232.53
149	NU1056M/C3	280	420	65	33.4	232.53
150	NJ1056M	280	420	65	34.5	242.84
151	NN3056K/P5W33	280	420	106	48.9	587.62
152	NN3056K/P52W33	280	420	106	48.9	587.62
153	NN3056K/SPW33	280	420	106	49.07	1477.64
154	NN3056K/P6	280	420	106	49.07	429.55
155	NN3056K/P5	280	420	106	49.1	572.73
156	NN3056K/P52	280	420	106	49.1	572.73
157	NN3056K	280	420	106	49.07	286.36
158	NN3056K/C3	280	420	106	49.07	286.36
159	NN3056/P5	280	420	106	49.9	572.73
160	NN3056/P53	280	420	106	49.9	572.73
161	NN3056	280	420	106	49.1	286.36
162	NN3056K/P51	280	420	106	49.07	572.73
163	NU1060/P6	300	460	74	44.4	498.27
164	NU1060	300	460	74	44.4	332.18

165	NJ1060M	300	460	74	44.3	347.07
166	NNCF3060V/C3	300	460	118	69.8	421.53
167	NNF3060V/W33	300	460	118	69.8	441.00
168	NNF3060V/C3W33	300	460	118	69.8	441.00
169	NNF3060V/C3	300	460	118	69.8	421.53
170	NU3060	300	460	118	72	419.24
171	NN3060K/P6	300	460	118	69.6	586.47
172	NN3060K/P52W33	300	460	118	69.6	800.67
173	NN3060K/P5	300	460	118	69.6	781.20
174	NN3060K	300	460	118	69.6	390.60
175	NN3060/P5	300	460	118	71.7	781.20
176	NN3060	300	460	118	71.7	390.60
177	NN3060/C2	300	460	118	71.7	390.60
178	NN3060/YA1	300	460	118	71.2	410.07
179	NU1064	320	480	74	47	410.07
180	NU1064M	320	480	74	47	468.49
181	NU1064K/P6	320	480	74	46.1	635.73
182	NU1064K/P5	320	480	74	46.1	840.76
183	NU1064K	320	480	74	46.1	430.69
184	NN3064K/P52W33	320	480	121	75	967.91
185	NN3064K/P5	320	480	121	75	922.09
186	NN3064K/P52	320	480	121	75	922.09
187	NN3064K	320	480	121	75	512.02
188	NN3068K	340	520	133	101	662.07
189	NN3068	340	520	133	104	662.07
190	NN3068K/P6	340	520	133	101	863.67
191	NN3068/P5	340	520	133	104	1059.55
192	NN3068K/P5	340	520	133	104	1059.55
193	NN3068K/P5W33	340	520	133	98.5	1237.09
194	NN3068K/P51W33	340	520	133	98.5	1237.09
195	NN3068K/P52W33	340	520	133	98.5	1237.09
196	NN3068K/SPW33	340	520	133	98.5	2875.09
197	NNU664/P59S1YA	340	520	133	101	1014.87
198	NNU664/P5C9	340	520	133	100	1059.55
199	N068	340	520	57	45.5	365.40
200	NJ068M	340	520	57	50	423.82
201	NUP1072X1M/S0	360	540	82	61.3	664.36
202	NJP2072/C3	360	540	106	96	628.85
203	NN3072K/P6	360	540	134	106	957.60
204	NN3072K/P5	360	540	134	106	1138.58
205	NN3072K	360	540	134	106	734.24
206	NN3072K/P5YA1	360	540	134	105	1168.36
207	NN3072K/YA1	360	540	134	105	770.89

208	NN3072	360	540	134	110	734.24
209	NN3072/YA1	360	540	134	110	770.89
210	NN3076K/P6	380	560	135	110	1059.55
211	NN3076K/P5	380	560	135	110	1168.36
212	NN3076K	380	560	135	110	757.15
213	NN3076K/P5YA1	380	560	135	110	1214.18
214	NN3076/P5	380	560	135	110	1168.36
215	NN3076	380	560	135	114	757.15
216	NN3076K/W33/P6	380	560	135	110	1097.35
217	NN3076K/W33X/P5	380	560	135	110	1214.18
218	NU1080	400	600	90	88.8	665.51
219	NU1080K/P5	400	600	90	88.8	979.36
220	NU1080K	400	600	90	88.8	699.87
221	NU3080	400	600	148	144.5	1282.91
222	NN3080K/SPW33	400	600	148	88.8	4364.18
223	NN3080K/P5	400	600	90	88.8	1282.91
224	NN3080K/P5C9W33	400	600	148	149	1328.73
225	NN3080K/P52W33	400	600	148	149	1328.73
226	NN3080K/P5W33	400	600	148	149	1328.73
227	NN3080K/C1W33	400	600	148	149	1008.00
228	NN3080K/C9W33	400	600	148	149	1008.00
229	NN3080/P5	400	600	148	147	1282.91
230	NN3080	400	600	148	147	780.05
231	NN3080/W33	400	600	148	146	819.00
232	NN3092K/P5W33	460	680	163	204	1408.91
233	NN3092K/P6	460	680	163	204	1260.00
234	NN3092K/P5	460	680	163	204	1363.09
235	NN3092K	460	680	163	204	972.49
236	NN3092K/P51	460	680	163	204	1363.09
237	NN3092K/P5YA1	460	680	163	204	1408.91
238	NN3092/P5	460	680	163	204	1363.09
239	NN3092	460	680	163	204	972.49
240	NN3092K/C1W33	460	680	163	203	1156.91
241	NN3092K/YA1	460	680	163	203	1020.60
242	NN3096K/P5W33	480	700	165	214	1764.00
243	NN3096K/P5	480	700	165	207	1706.73
244	NU10/500	500	720	100	135	1096.20
245	NJ10/500	500	720	100	139	1145.45
246	NU30/500	500	720	167	233	1832.73
247	NN30/500K/P5/C9W33	500	720	167	223	1718.18
248	NN30/560KF1	560	820	195	347	956.68
249	NN30/560KF1/P5	560	820	195	341	1764.00
250	NN30/560KF1/P52W33	560	820	195	336	1855.64

251	NN30/560KF1/P5W33	560	820	195	336	1855.64
252	NN30/560KF1/W33	560	820	195	336	1134.00
253	NN30/560/P52	560	820	195	341	1855.64
254	NN30/560/P59	560	820	195	341	1855.64
255	NNU40/600X2C9/P5	600	870	270	559	5876.18
256	NN30/670KF1	670	980	230	597	4020.55
257	NN30/670K/P5	670	980	230	597	3825.82
258	NN30/670K/P59	670	980	230	597	4020.55
259	NJ19/630M	630	850	100	164	1248.55
260	NJ19/850	850	1120	118	313	4100.73
261	N204	20	47	14	0.11	1.73
262	NU204M	20	47	14	0.11	2.77
263	NJ204M	20	47	14	0.14	2.85
264	RN204M	20	40	14	0.08	2.34
265	RNU204M	27	47	14	0.1	2.42
266	NU205EM/P5	25	52	15	0.16	4.97
267	NU205M	25	52	15	0.16	3.04
268	NU205EM	25	52	15	0.15	3.04
269	NJ205EM	25	52	15	0.16	3.16
270	NJ205ETN1	25	52	15	0.16	2.49
271	NUP205ETN1	25	52	15	0.14	2.68
272	RNU205M/P4	25	52	15	0.15	12.83
273	LRN605ETN1/YA	25	52	15	0.15	2.68
274	LRN605/YA	25	52	15	0.15	2.39
275	N206M	30	62	16	0.24	3.56
276	N206	30	62	16	0.22	2.37
277	NU206Q1/P6S0	30	62	16	0.24	5.57
278	NU206Q1/P63S0	30	62	16	0.24	5.57
279	NU206M	30	62	16	0.24	3.79
280	NU206EM/C3	30	62	16	0.24	3.79
281	NU206M/C5	30	62	16	0.24	3.79
282	NU206M/P63S0	30	62	16	0.24	5.10
283	NU206EM	30	62	16	0.24	3.79
284	NU206/C3	30	62	16	0.22	2.61
285	NU206E	30	62	16	0.24	2.84
286	NJ206M	30	62	16	0.25	3.92
287	NJ206M/C3	30	62	16	0.25	3.92
288	NJ206ETN1	30	62	16	0.21	3.08
289	NJ206EF1	30	62	16	0.25	2.84
290	RN206M	30	62	16	0.14	3.20
291	RNU206M	30	62	16	1.19	3.32
292	RNU206M/P4	30	62	16	0.19	17.53
293	N207ETN1	35	72	17	0.3	3.16

294	N207	35	72	17	0.3	2.75
295	NU207EM	35	72	17	0.33	4.40
296	NU207EM/C3	35	72	17	0.33	4.40
297	NJ207EM	35	72	17	0.34	4.51
298	RN207M	35	72	17	0.2	3.71
299	N208M/P6	40	80	18	0.44	6.37
300	N208M/P5	40	80	18	0.49	7.96
301	N208M	40	80	18	0.39	4.78
302	N208	40	80	18	0.39	3.18
303	NF208	40	80	18	0.4	3.67
304	NU208M/P6	40	80	18	0.45	6.69
305	NU208M/P5	40	80	18	0.45	8.28
306	NU208M/P4	40	80	18	0.45	24.17
307	NU208M	40	80	18	0.45	5.10
308	NU208M/C3	40	80	18	0.45	5.10
309	NU208M/C5	40	80	18	0.45	5.10
310	NU208M1/P6	40	80	18	0.45	6.69
311	NU208M1/P5	40	80	18	0.45	8.28
312	NU208ETN1	40	80	18	0.38	3.99
313	NJ208M	40	80	18	0.46	5.26
314	NJ208ETN1	40	80	18	0.46	4.14
315	NUP208	40	80	18	0.391	4.08
316	NUP208M	40	80	18	0.47	5.57
317	RN208M	40	80	18	0.27	4.30
318	N209M	45	85	19	0.52	5.29
319	NJ209EF1	45	85	19	0.62	4.05
320	NJ209EM/P5	45	85	19	0.49	9.35
321	NJ209EM	45	85	19	0.52	5.82
322	N210M	50	90	20	0.57	5.84
323	N210	50	90	20	0.51	3.89
324	N210/C4	50	90	20	0.51	3.89
325	NU210Q1/P6S0	50	90	20	0.55	9.15
326	NU210Q1/P63S0	50	90	20	0.55	9.15
327	NU210Q2/P63S0	50	90	20	0.55	9.15
328	NU210EM/P5	50	90	20	0.56	10.13
329	NU210M	50	90	20	0.56	6.23
330	NU210M/P63S0	50	90	20	0.56	8.37
331	NJ210EM/P5	50	90	20	0.58	10.32
332	NJ210M	50	90	20	0.58	6.43
333	NH210EM/P5	50	90	20	0.64	10.90
334	RNU210M	50	90	20	0.43	5.45
335	RN210	50	90	20	0.31	3.31
336	NF211E	55	100	21	0.62	4.85

337	NU211EF1	55	100	21	0.73	4.64
338	NJ211EF1	55	100	21	0.75	4.85
339	NUP211EF1	55	100	21	0.69	6.51
340	N212	60	110	22	0.96	4.80
341	NU212Q1/P63S0	60	110	22	0.96	11.28
342	NU212M/P6	60	110	22	0.96	10.08
343	NU212M/P63	60	110	22	0.96	10.08
344	NU212M/P64	60	110	22	0.96	10.08
345	NU212M/P5	60	110	22	0.96	12.49
346	NU212M	60	110	22	0.96	7.67
347	NU212M/C3	60	110	22	0.96	7.67
348	NU212M/C4	60	110	22	0.96	7.67
349	NU212M/P63S0	60	110	22	0.96	10.09
350	NJ212M	60	110	22	0.98	7.92
351	NJ212M/C3	60	110	22	0.98	7.92
352	NJ212M/C4	60	110	22	0.98	7.92
353	NUP212M	60	110	22	1.09	8.40
354	NUP212M/C2	60	110	22	1.09	8.40
355	N213M	65	120	23	1.15	7.70
356	N213M/C4	65	120	23	1.15	7.70
357	NU213M/C3	65	120	23	1.05	8.21
358	NJ213M	65	120	23	1.18	8.46
359	N214EM	70	125	24	1.3	8.27
360	N214	70	125	24	1.3	5.51
361	NF214/C9YB2	70	125	24	1.3	6.33
362	NF214	70	125	24	1.3	6.33
363	NU214M	70	125	24	1.3	8.82
364	NU214M/C3	70	125	24	1.15	8.82
365	NU214M/C4	70	125	24	1.15	8.82
366	NJ214M	70	125	24	1.36	9.09
367	NJ214EF1/YB2	70	125	24	1.36	6.33
368	NJ214EF1/YB2C3	70	125	24	1.36	6.33
369	NUP214E	70	125	24	1.3	6.88
370	RNU214M	70	125	24	1.02	7.71
371	N215EF1	75	130	25	1.8	5.85
372	NU215M/C3	75	130	25	1.24	7.63
373	NJ215EQ1/P63S0	75	130	25	1.45	14.55
374	NUP215EM	75	130	25	1.8	10.24
375	N216M	80	140	26	1.72	9.51
376	NF216E	80	140	26	1.5	7.18
377	NU216M/P6	80	140	26	1.75	15.23
378	NU216M/P5	80	140	26	1.75	19.93
379	NU216M	80	140	26	1.75	10.46

380	NU216M/C3	80	140	26	1.76	10.46
381	NU216	80	140	26	1.52	6.96
382	NU216E	80	140	26	1.52	6.96
383	NJ216M	80	140	26	1.78	10.94
384	NJ216	80	140	26	1.63	7.29
385	NUP217ERM/YB2	85	157	27.5	2.27	15.58
386	NUP217ERM/C3YB2	85	157	27.5	2.27	15.58
387	N218M	90	160	30	2.63	11.80
388	NU218M	90	160	30	0.73	12.60
389	NU219M/C3	95	170	32	2.8	14.66
390	N220M	100	180	34	3.14	15.58
391	N220EM	100	180	34	3.14	15.58
392	NU220M/C3	100	180	34	3.38	16.15
393	NJ220M	100	180	34	3.98	17.87
394	NJ220M/C3	100	180	34	3.98	17.87
395	NJ220M/C4	100	180	34	3.98	17.87
396	NJ221E	105	190	36	4	14.78
397	N222EM	110	200	38	5.33	19.01
398	NJ222EM	110	200	38	5.26	20.96
399	NU222EQ1/P53S0	110	200	38	5.41	41.12
400	NB2710224M/P6	120	215	40	6.19	40.09
401	N224M	120	215	40	6.19	26.69
402	N224M/C3	120	215	40	6.19	26.69
403	NU224M/P6	120	215	40	38.4	42.73
404	NU224M	120	215	40	6.47	29.32
405	NU224M/C3	120	215	40	6.47	29.32
406	NU224L	120	215	40	6.47	26.69
407	NU224L/C3	120	215	40	6.47	26.69
408	NJ224EM	120	215	40	6.48	30.70
409	NJ224M	120	215	40	6.48	30.70
410	NJ224M/C3	120	215	40	6.48	30.70
411	NJ224L	120	215	40	6.48	28.06
412	NUP224M	120	215	40	6.51	33.33
413	N226	130	230	40	7.08	33.68
414	NU226Q1/P53S0	130	230	40	7.12	60.48
415	NU226EM/P6	130	230	40	7.11	52.35
416	NU226EM/P6C3	130	230	40	7.11	52.35
417	NU226EM/C3	130	230	40	7.11	35.97
418	NU226EM	130	230	40	7.11	35.97
419	NU228EM/P6	140	250	42	8.72	61.28
420	NU228M	140	250	42	9.7	42.15
421	NU228EL1	140	250	42	9.7	42.15
422	NJ228EM	140	250	42	9.35	45.02

423	NU230EM/P6	150	270	45	11.4	74.68
424	NU230EM/P63	150	270	45	11.4	74.68
425	NU230EQ1/P63S0	150	270	45	10.4	70.79
426	NJ230EM	150	270	45	11.7	58.65
427	NU232EQ1/P63S0	160	290	48	14.6	91.41
428	NU232EM	160	290	48	14.7	80.53
429	NJ232EM	160	290	48	14.9	81.90
430	NU234Q1/P63S0	170	310	52	17.8	110.77
431	NU234EQ1/P63S0	170	310	52	17.8	110.77
432	NU234M	170	310	52	17.7	91.06
433	NU234M/C3	170	310	52	17.7	91.06
434	NJ234M	170	310	52	19.3	94.04
435	NJ234/P6	170	310	52	18.36	95.42
436	NJ234E	170	310	52	19.3	68.15
437	NU236M	180	320	52	18.6	97.82
438	NU236M/C3	180	320	52	18.6	97.82
439	NJ236M	180	320	52	18.9	100.91
440	NJ238EM	190	340	55	22.4	115.69
441	NU240M	200	360	58	27.3	132.87
442	NU240EM/C3	200	360	58	27.3	132.87
443	NJ240EM	200	360	58	27.8	137.45
444	NU244M	220	400	65	38.4	176.40
445	NJ244M	220	400	65	39.2	180.98
446	NU248	240	440	72	50	246.27
447	NU248/C3	240	440	72	50	246.27
448	NJ248	240	440	72	50	254.29
449	NU260/C3	300	500	85	87.2	845.35
450	NU264+HJ264	320	580	92	125	887.73
451	NU303M	17	47	14	0.15	3.61
452	NU305M	25	62	17	0.27	4.05
453	NJ305M	25	62	17	0.25	4.18
454	NJ305ETN1	25	62	17	0.25	3.29
455	NJ305V/YA3	25	62	17	0.26	4.18
456	NJ305/C3S0	25	62	17	0.26	3.04
457	NJ305	25	62	17	0.26	2.91
458	NJ305/C3	25	62	17	0.26	2.91
459	NCL305	25	62	17	0.25	3.40
460	NF306E	30	72	19	0.38	3.67
461	NU306EM	30	72	19	0.4	5.10
462	NUP306EM	30	72	19	0.42	5.56
463	NF307	35	80	21	0.51	3.87
464	NU307M/P6	35	80	21	0.55	3.87
465	NU307M/P5	35	80	21	0.55	7.07

466	NJ307M	35	80	21	0.55	8.75
467	NJ307ETN1	35	80	21	0.48	5.54
468	NJ307	35	80	21	0.51	4.38
469	NJ307/C3	35	80	21	0.51	3.87
470	NJ307E	35	80	21	0.55	3.87
471	NJ307E/YA	35	80	21	0.56	3.87
472	NJ307EF1	35	80	21	0.68	3.87
473	NUP307M	35	80	21	0.58	5.90
474	NUP307E	35	80	21	0.58	4.20
475	NUP307NM	35	80	21	0.57	6.06
476	NJ307EV	35	80	21	0.51	5.56
477	NJ307EV/C4	35	80	21	0.52	5.56
478	NJ307ENV/C9	35	80	21	0.58	5.84
479	NUP307ENV	35	80	21	0.51	6.53
480	NUP307ENV/C9	35	80	21	0.54	6.53
481	NUP307EV/C9	35	80	21	0.52	6.39
482	NUP307EF1/C3S0	35	80	21	0.52	4.38
483	N308M/C4	40	90	23	0.71	5.98
484	N308	40	90	23	0.66	3.99
485	N308/C3	40	90	23	0.66	3.99
486	N308/C4	40	90	23	0.66	3.99
487	NF308M	40	90	23	0.68	8.59
488	NF308M/C4	40	90	23	0.73	8.59
489	NF308EF1	40	90	23	0.876	4.58
490	NF308EF1/C3	40	90	23	0.876	4.58
491	NF308EF1/C4	40	90	23	0.876	4.58
492	NU308Q1/P53S0	40	90	23	0.76	11.36
493	NU308M/P6	40	90	23	0.76	8.37
494	NU308M/P5	40	90	23	0.76	10.37
495	NU308M	40	90	23	0.76	6.38
496	NU308M/C3	40	90	23	0.76	6.38
497	NU308L1	40	90	23	0.69	5.98
498	NJ308M/C3S0	40	90	23	0.75	6.78
499	NJ308M/P6	40	90	23	0.75	8.57
500	NJ308M/P5	40	90	23	0.75	10.56
501	NJ308M	40	90	23	0.75	6.57
502	NJ308L	40	90	23	0.7	6.17
503	NJ308EV/C9/YB2	40	90	23	0.69	6.46
504	NUP308M	40	90	23	0.29	7.17
505	NU308EPC/P5	40	90	23	0.29	8.55
506	NUP308EN	40	90	23	0.29	6.78
507	N309M	45	100	25	0.98	6.76
508	N309M/C2	45	100	25	0.98	6.76

509	N309	45	100	25	0.88	4.50
510	N309/Z1	45	100	25	0.88	5.85
511	N309/Z2	45	100	25	0.88	6.30
512	N309/TZ1	45	100	25	0.88	6.30
513	NF309EF1	45	100	25	0.9	5.18
514	NU309M/P6	45	100	25	1.01	9.45
515	NU309M/P5	45	100	25	1.01	11.68
516	NU309M	45	100	25	1.01	7.20
517	NU309L	45	100	25	0.9	6.76
518	NJ309EV	45	100	25	0.96	7.42
519	NJ309M	45	100	25	1.03	7.42
520	NJ309L	45	100	25	0.92	6.98
521	NUP309EV	45	100	25	0.99	5.86
522	NUP309EF1	45	100	25	0.61	5.62
523	RN309M	45	87	25	0.61	6.08
524	N310	50	110	27	1.15	5.26
525	N310/Z1	50	110	27	1.15	6.84
526	NU310M/P6	50	110	27	1.29	11.04
527	NU310M/P5	50	110	27	1.29	13.63
528	NU310M	50	110	27	1.29	8.41
529	NU310M/C2	50	110	27	1.29	8.41
530	NU310M/C3	50	110	27	1.29	8.41
531	NU310M/C5	50	110	27	1.29	8.41
532	NU310M/C3S0	50	110	27	1.29	8.67
533	NU310	50	110	27	1.14	5.78
534	NU310/C2	50	110	27	1.14	5.78
535	NU310/C3	50	110	27	1.14	5.78
536	NJ310M/C3S0	50	110	27	1.32	8.93
537	NJ310M	50	110	27	1.32	8.67
538	NJ310M/C2	50	110	27	1.32	8.67
539	NJ310M/C3	50	110	27	1.32	8.67
540	NJ310M/C4	50	110	27	1.32	8.67
541	NJ310	50	110	27	1.17	6.05
542	NJ310/C4	50	110	27	1.17	6.05
543	NJ310/C3	50	110	27	1.17	6.05
544	NH310M/C7YB2	50	110	27	1.16	9.72
545	NH310M	50	110	27	1.16	9.46
546	NH310M/P5C9	50	110	27	1.16	14.66
547	NH310M/C3	50	110	27	1.16	9.46
548	NH310M/C5	50	110	27	1.16	9.46
549	NH310M/C7	50	110	27	1.16	9.46
550	NH310EF1	50	110	27	1.5	8.93
551	NH310ENV	50	110	27	1.23	9.46

552	RN310M	50	95	27	0.8	7.10
553	N311M/P5	55	120	29	1.66	14.66
554	N311M	55	120	29	1.67	8.72
555	N311	55	120	29	1.53	5.85
556	N311/C4	55	120	29	1.53	5.85
557	N311/Z1	55	120	29	1.53	7.61
558	N311/Z2	55	120	29	1.53	8.19
559	N311TZ1	55	120	29	1.53	8.19
560	NF311	55	120	29	1.54	6.74
561	NU311M	55	120	29	1.71	9.37
562	NU311M/C3	55	120	29	1.71	9.37
563	NU311EPC/P5	55	120	29	1.71	12.60
564	NU311	55	120	29	1.59	6.44
565	NU311E	55	120	29	1.59	6.44
566	NJ311EV	55	120	29	1.49	9.66
567	NJ311M	55	120	29	1.72	9.66
568	NJ311M/C3	55	120	29	1.72	9.66
569	NUP311EN	55	120	29	1.49	7.61
570	RN311M	55	107	29	1	7.96
571	N312M/P5	60	130	31	2.05	17.18
572	N312M	60	130	31	2.05	10.31
573	N312/V1	60	130	31	1.86	8.93
574	N312	60	130	31	1.86	6.87
575	N312/C4	60	130	31	1.86	6.87
576	N312/Z1	60	130	31	1.86	8.93
577	N312/Z2	60	130	31	1.86	9.62
578	N312/TZ1	60	130	31	2.05	9.62
579	NU312Q1/P63S0	60	130	31	2.08	16.15
580	NU312Q1/P64S0	60	130	31	2.08	16.15
581	NU312Q1/P5S0	60	130	31	2.08	19.59
582	NU312Q1/P53S0	60	130	31	2.08	19.59
583	NU312M/P6	60	130	31	2.08	14.43
584	NU312M/P5	60	130	31	2.08	17.87
585	NU312M	60	130	31	2.08	11.00
586	NU312M/C3	60	130	31	2.08	11.00
587	NU312M/C4	60	130	31	2.08	11.00
588	NU312M/C5	60	130	31	2.08	11.00
589	NU312M/P63S0	60	130	31	2.08	14.78
590	NU312EPC/P5	60	130	31	1.9	14.78
591	NU312	60	130	31	1.86	7.56
592	NU312/C2	60	130	31	1.86	7.56
593	NU312/C3	60	130	31	1.86	7.56
594	NU312/P63S2	60	130	31	2.08	11.68

595	NJ312M/C5YA1	60	130	31	2.12	11.34
596	NJ312M	60	130	31	2.12	11.34
597	NJ312M/C2	60	130	31	2.12	11.34
598	NJ312M/C3	60	130	31	2.12	11.34
599	NJ312M/C4	60	130	31	2.12	11.34
600	NJ312M/C5	60	130	31	2.12	11.34
601	NJ312	60	130	31	1.9	7.90
602	NJ312/C2	60	130	31	1.9	7.90
603	NJ312/C3	60	130	31	1.9	7.90
604	NJ312E	60	130	31	1.9	7.90
605	NJ312EF1	60	130	31	2.12	7.90
606	NJ312EF1/C3	60	130	31	2.12	7.90
607	NH312E/P69	60	130	31	2.29	18.10
608	NUP312M	60	130	31	2.16	12.03
609	RN312M	60	113	31	1.28	9.28
610	N313M	65	140	33	2.32	11.91
611	N313	65	140	33	2.32	7.95
612	N313/Z1	65	140	33	2.32	10.37
613	N313/Z2	65	140	33	2.32	11.16
614	N313/TZ1	65	140	33	2.32	11.16
615	NU313M	65	140	33	2.51	12.71
616	NU313M/C3	65	140	33	2.51	12.71
617	NU313M/P6	45	100	25	1.01	16.72
618	NU313M/P63S0	65	140	33	2.51	17.18
619	NU313/P63S1	65	140	33	2.51	13.52
620	N313Q1/P6S0	65	140	33	2.54	17.98
621	NU313EQ1/P69S0	65	140	33	2.5	18.79
622	NU313Q1/P6S0	65	140	33	2.53	18.79
623	NU313Q1/P63S0	65	140	33	2.53	18.79
624	NU313Q1/P53S0	65	140	33	2.53	22.68
625	NU313Q1/P57S0	65	140	33	2.53	22.68
626	NJ313Q1/P63S0	65	140	33	2.6	19.13
627	NJ313M	65	140	33	2.57	13.17
628	NJ313M/C4	65	140	33	2.32	13.17
629	NJ313M/C5	65	140	33	2.51	13.17
630	NJ313E	65	140	33	2.57	9.16
631	NU313EF1	65	140	33	2.51	9.16
632	NJ313EF1	65	140	33	2.57	9.16
633	NJ313+HJ313	65	140	33	2.57	14.32
634	RN313M	65	122	33	1.57	10.77
635	N314M/P5	70	150	35	3.02	23.14
636	N314M	70	150	35	3.02	13.86
637	N314	70	150	35	2.73	9.23

638	N314/Z1	70	150	35	2.73	12.03
639	N314/Z2	70	150	35	2.73	12.94
640	N314/TZ1	70	150	35	2.73	12.94
641	NF314	70	150	35	2.75	10.62
642	NU314EQ1/P69S0	70	150	35	3.11	21.65
643	NU314Q1/P63S0	70	150	35	3.12	21.65
644	NU314Q1P53S0	70	150	35	3.12	26.35
645	NU314ENM	70	150	35	3.2	15.46
646	NU314NM/YB2	70	150	35	3.04	15.46
647	NU314M/P6	70	150	35	3.09	19.36
648	NU314M/P5	70	150	35	3.09	24.05
649	NU314M	70	150	35	3.09	14.78
650	NU314M/C2	70	150	35	3.09	14.78
651	NU314M/C3	70	150	35	3.09	14.78
652	NU314M/P6S0	70	150	35	3.09	19.82
653	NU314M/P63S0	70	150	35	3.09	19.82
654	NU314M/P64S0	70	150	35	3.09	19.82
655	NU314M1/P6S0	70	150	35	3.09	19.82
656	NU314M1/P63S0	70	150	35	3.09	19.82
657	NU314M1/P64S0	70	150	35	3.09	19.82
658	NJ314M/C4	70	150	35	3.18	15.23
659	NJ314M/C3S0	70	150	35	3.18	15.69
660	NJ314M	70	150	35	3.18	15.23
661	NJ314M/C2	70	150	35	3.18	15.23
662	NJ314M/C3	70	150	35	3.18	15.23
663	NJ314EF1/C9	70	150	35	3.18	10.62
664	NJ314ENM/C3YA4	70	150	33	3.09	15.69
665	NJ314ENM/C9YA4	70	150	33	3.09	15.69
666	NUP314ENM/C3YA4	70	150	33	3.22	16.61
667	NUO314ENM/C9YA4	70	150	33	3.22	16.61
668	NUP314EM	70	150	35	3.02	16.61
669	N315M	75	160	37	3.77	16.04
670	N315	75	160	37	3.49	10.69
671	NU315EQ1/P69S0	75	160	37	3.69	25.09
672	NU315Q1/P63S0	75	160	37	3.68	25.09
673	NU315Q1/P64S0	75	160	37	3.68	25.09
674	NU315Q1/P53S0	75	160	37	3.68	30.47
675	NU315M	75	160	37	3.8	17.07
676	NU315M/C2	75	160	37	3.8	17.07
677	NU315M/C3	75	160	37	7.39	17.07
678	NU315M/P53S0	75	160	37	3.8	28.29
679	NU315EF1	75	160	37	3.71	16.04
680	NU315	75	160	37	3.49	11.80

681	NU315/P63S0	75	160	37	3.8	18.21
682	NU315/P53S0	75	160	37	3.8	23.48
683	NJ315M	75	160	37	3.96	17.64
684	NJ315Q1/P63S0	75	160	37	3.81	29.44
685	NUP315ENR	75	160	37	3.8	16.61
686	NUP315Q1/P63S0	75	160	37	3.97	30.70
687	NU3315	75	160	68.3	7.16	28.06
688	NU3315M	75	160	68.3	7.39	28.06
689	NU3315M/C3	75	160	68.3	7.39	28.06
690	N316EM/P5	80	170	39	4.34	36.88
691	N316EM	80	170	39	4.34	18.44
692	NU316EQ1/P69S0	80	170	39	4.42	34.71
693	NU316EF1	80	170	39	3.92	13.52
694	NU316EM	80	170	39	4.35	23.60
695	N317EM/P5	85	180	41	5.02	42.38
696	N317EM	85	180	41	5.02	21.19
697	N317L	85	180	41	4.73	19.70
698	N317	85	180	41	4.73	14.09
699	N317/Z1	85	180	41	4.73	18.33
700	N317/Z2	85	180	41	4.73	19.70
701	N317EF1	85	180	41	4.73	14.09
702	NU317EQ1/P69S0	85	180	41	5.34	38.26
703	NJ317Q1/P63S0	85	180	41	5.29	39.06
704	N318	90	190	43	5.46	15.92
705	N318/Z1	90	190	43	5.46	20.73
706	NU318EF1	90	190	43	5.38	17.53
707	NU318EM	90	190	43	6.1	23.94
708	NU318Q1/P63S0	90	190	43	6.2	45.82
709	NU318E/P6	90	190	43	5.84	25.43
710	NU318E	90	190	43	5.38	17.53
711	N319	95	200	45	6.67	22.68
712	N319EF1	95	200	45	8.69	22.68
713	NU319	95	200	45	7	24.97
714	NU319EL1	95	200	45	6.52	34.02
715	NU319EF1	95	200	45	8.77	24.97
716	N320	100	215	47	8.24	22.91
717	N320EF1	100	215	47	8.08	22.91
718	NU320	100	215	47	7.79	25.20
719	NUP320EM	100	215	47	11.7	40.09
720	N322EM	110	240	50	12.5	48.91
721	NJ322EQ/C5/S1	110	240	50	12.5	69.87
722	NJ322EQ/C4/S1	110	240	50	12.5	69.87
723	NJ322EQ1/C5	110	240	50	12.5	68.50

724	NJ322EM	110	240	50	12.5	56.24
725	N324EM	120	260	55	13.9	60.59
726	NU324EM	120	260	55	15.6	66.67
727	N326EM	130	280	58	18.2	73.08
728	NU326EM	130	280	58	18.3	80.41
729	N328EM	140	300	62	21.9	86.02
730	NU328EQ1/P63S0	140	300	62	21.6	169.53
731	NJ328EQ1/P64S0	140	300	62	22.1	172.96
732	N330M	150	320	65	26.5	105.61
733	NU330EM	150	320	65	27	115.69
734	NU330EQ1/P63S0	150	320	65	26.6	207.33
735	NU330EQ1/P6YB	150	320	65	26.6	207.33
736	NJ330EQ1/P6YA	150	320	65	26.8	213.05
737	NU332EQ1/P64YA	160	340	68	31.6	217.64
738	NU334EM	170	360	72	36.3	164.95
739	NU334EM/C3	170	360	72	36.3	164.95
740	NJ336EM	180	380	75	44.6	222.22
741	NU344Q/P53	220	460	88	74.4	587.62
742	NU344M	220	460	88	75.6	335.62
743	NU344M/C3	220	460	88	75.6	335.62
744	NU348M	240	500	95	97.7	617.40
745	NU356M	280	580	108	139	861.38
746	NU356M/C3	280	580	108	139	861.38
747	NJ405M	25	80	21	0.641	6.24
748	NJ407M	35	100	25	1.14	8.55
749	N408M	40	110	27	1.44	8.13
750	NJ408M	40	110	27	1.51	9.36
751	NJ408M/C2	40	110	27	1.51	9.36
752	NJ409M	45	120	29	1.85	10.90
753	NU411M	55	140	33	3.24	13.75
754	NU411M/C3	55	140	33	3.24	13.75
755	NU411M/C4	55	140	33	3.24	13.75
756	NJ411M	55	140	33	3.29	14.32
757	N412M	60	150	35	3.51	15.23
758	NJ412	60	150	35	3.21	11.68
759	NJ412E	60	150	35	3.21	11.68
760	NJ412EF1	60	150	35	3.2	11.68
761	NUP412M	60	150	35	3.85	15.92
762	N414M/YA1	70	180	42	6.1	22.91
763	NNUP2414V-2LS/X2	70	180	84	12.31	281.78
764	NUOP417Q1/C4S0	85	210	52	9.7	58.99
765	NJ422EM	110	280	65	22	92.21
766	NJ422Q1/C3S0	110	280	65	22	128.29

767	NU426Q1/P64S0	130	340	78	39.2	214.20
768	NU426Q1/C4S0	130	340	78	41.5	155.78
769	NU426Q1/P6YB	130	340	78	39.2	214.20
770	NU426M	130	340	78	41.5	127.15
771	NU426M/S0	130	340	78	41.5	132.87
772	NU426M/C4S0	130	340	78	41.5	132.87
773	NJ426M	130	340	78	41.7	132.87
774	NU428M	140	360	82	48	143.18
775	NJ428M	140	360	82	48.74	150.05
776	NJ430M	150	380	85	53	187.85
777	NJ2206M	30	62	20	0.26	3.05
778	NUP2207X1V/C9YB2	35	90	23	0.81	3.51
779	NUP2208EV/C3	40	80	23	0.52	5.86
780	NU2209M/C4	45	85	23	0.57	6.36
781	NU2209EM	45	85	23	0.63	6.36
782	NU2209EM1	45	85	23	0.62	6.36
783	NU2209EM1/C4	45	85	23	0.63	6.36
784	NU2209L2/P5	45	85	23	0.57	12.60
785	NJ2209EF1	45	85	23	0.77	5.25
786	NU2210EM/P5	50	90	23	0.63	13.17
787	NU2210EM/P5C2	50	90	23	0.63	13.17
788	NU2210EM1/P5C2	50	90	23	0.63	13.17
789	NJ2211EF1	55	100	23	0.77	6.07
790	NU2213EMN/C4	65	120	31	1.61	9.74
791	NJ2214EM	70	125	31	1.93	11.43
792	NUP2214EM	70	125	31	1.9	12.49
793	NU2216EQ1/P63S0	80	140	33	2.32	30.01
794	NUP2216EQ1/P63S0	80	140	33	2.38	31.27
795	NU2217M	85	150	36	2.5	15.12
796	N2224X1M	120	215	58	9.4	42.50
797	N2224MX1/CNL	120	217	58	9.7	50.40
798	N2224M	120	215	58	9.4	42.50
799	NJ2226X3TN/P59	130	220	62	5.77	229.09
800	NJP2226X3TN/P59	130	220	62	5.77	229.09
801	NU2232EM	160	290	80	24.45	121.42
802	NU2234EM	170	310	86	30	163.80
803	NU2236EM	180	320	86	30.8	179.84
804	NJ2236EM	180	320	86	32.6	211.91
805	NU2264M	320	580	150	183	1431.82
806	NU2272EM	360	650	170	263	1798.36
807	NU2272EM/C3	360	650	170	263	1798.36
808	NU2276X2	308	680	177	281	2004.55
809	NJ2305M	25	62	24	0.45	6.64

810	NJ2305M/YA1	25	62	24	0.45	6.64
811	NCL2305	25	62	24	0.45	6.41
812	NUP2306M	30	72	27	0.6	7.67
813	NUP2306EV	30	72	27	0.54	8.29
814	NJ2307M/P5	35	80	31	0.88	14.55
815	NJ2307M	35	80	31	0.88	7.79
816	NJ2307EF1	35	80	31	0.88	5.43
817	NUP2307M	35	80	31	0.9	8.46
818	NJ2308E	40	90	33	1.17	6.17
819	N2309M	45	100	36	15.1	9.06
820	NU2310M/P62	50	110	40	2.01	15.81
821	NU2310M	50	110	40	2.01	10.90
822	NU2310M/C2	50	110	40	2.01	10.90
823	NU2310M/C3	50	110	40	2.01	10.90
824	NU2310M/C4	50	110	40	1.94	10.90
825	NU2310M/C7	50	110	40	1.94	10.90
826	NJ2310EM/C9S0	50	110	40	2.02	11.57
827	NU2311M	55	120	43	2.77	12.03
828	NJ2311M/C4	55	120	43	2.93	12.60
829	NJ2311M	55	120	43	2.93	12.60
830	NJ2311M/C3	55	120	43	2.93	12.60
831	NJ2311M/C4	55	120	43	2.93	12.60
832	NJ2311M/C5	55	120	43	2.93	12.60
833	NUP2311M	55	120	43	2.89	13.63
834	N2312EF1	60	130	46	3.6	8.93
835	NJ2312EF1	60	130	46	2.99	10.27
836	NJ2312M	60	130	46	3.39	14.78
837	NU2313EM	65	140	48	3.71	16.61
838	NU2313EM/C2	65	140	48	3.71	16.61
839	NU2313EM/C4	65	140	48	3.71	16.61
840	NU2314M	70	150	51	4.41	20.50
841	NJ2314EM	70	150	51	6.1	21.08
842	NJ2314EF1/C3	70	150	51	5.6	19.24
843	NU2315EM	75	160	55	6.33	22.22
844	NJ2315EM/P5	75	160	55	5.69	36.77
845	NU2316EM	80	170	58	6.1	24.74
846	NU2316L/P62	80	170	58	6.1	30.93
847	NU2316L	80	170	58	6.1	23.14
848	NU2316L1/C2	80	170	58	6.1	23.14
849	NU2316L/C4	80	170	58	6.1	23.14
850	NJ2316M	80	170	58	6.59	25.43
851	NJ2316EM	80	170	58	6.21	25.43
852	NJ2316L	80	170	58	6.21	23.94

853	NJ2316L/C4	80	170	58	6.21	23.94
854	NU2317M	85	180	60	8	29.44
855	NU2317M/C3	85	180	60	8	29.44
856	NU2317EM/YA1	85	180	60	8.1	29.44
857	NU2317/C9	85	180	60	8	27.61
858	NJ2317M	85	180	60	8	30.81
859	RNU2317M	85	180	60	6.47	24.05
860	NU2318M	90	190	64	8.87	36.77
861	NJ2318EM/C9S0	90	190	64	9.51	39.06
862	NU2319EM	95	200	67	10.2	49.94
863	NU2319EM/C3	95	200	67	10.2	49.94
864	NJ2319EF1	95	200	67	13.1	35.85
865	N2320EM	100	215	73	14.4	59.56
866	NU2320EM	100	215	73	14.5	65.52
867	NU2320EM/YA1	100	215	73	14.3	68.50
868	NJ2320EQ1/P63S0	100	215	73	13.3	113.17
869	NJ2320EM/C9S0	100	215	73	14.3	69.64
870	NU2320EQ1/P63S0	100	215	73	19.1	140.89
871	NU2322EM	110	240	80	19.9	85.91
872	NU2322EM/C2	110	240	80	19.9	85.91
873	NU2322EM/C9	110	240	80	19.9	85.91
874	NU2322EM/YA1	110	240	80	19.9	88.54
875	NU2324EM	120	260	86	23.8	96.68
876	NU2324EM/YA1	120	260	86	23.8	101.49
877	NJ2324EM/C9S0	120	260	86	23.6	100.69
878	NU2326EM	130	280	93	28.8	114.55
879	NU2326EM/C2	130	280	93	28.8	114.55
880	NU2326EM/C3	130	280	93	28.8	114.55
881	NU2326EM/C9	130	280	93	28.8	114.55
882	NJ2326EM	130	280	93	29.5	117.98
883	NU2328EM	140	300	102	36.7	123.71
884	NJ2328EM	140	300	102	37.3	132.87
885	NJ2328EM/C5	140	300	102	37.3	132.87
886	NH2328X3V/P63	140	300	102	42.8	293.24
887	NU2330EM	150	320	108	45.7	152.35
888	NU2330EM/C3	150	320	108	45.7	152.35
889	NU2332EM1	160	340	114	52	185.56
890	NU2332EM1/C3	160	340	114	52	185.56
891	NU2334M	170	360	120	62.3	198.16
892	NU2334M/C3	170	360	120	62.3	198.16
893	NU2334EM	170	360	120	62.3	198.16
894	NJ2336EM	180	380	126	77.9	230.24
895	NJ2336EM/C3	180	380	126	77.9	230.24

896	NUP2336	180	380	126	79.9	262.31
897	NU2372	360	750	224	485	2268.00
898	NU2372/C3	360	750	224	485	2268.00
899	N3204X2/P6	20	47	20.6	0.13	4.25
900	N3204X2WC/P5	20	47	20.6	0.13	5.66
901	RN606M-1	30	68	26	0.44	7.40
902	RN606M	30	60	26	0.33	7.19
903	N612	60	140	51	3.21	12.14
904	N612/C9	65	140	51	3.21	12.14
905	NNF618-2LSV/YA1	90	190	110	20.1	293.24
906	NNQB2418X2/P5	90	225	135	31.3	586.47
907	NNQB2418X2/P2	90	225	135	31.3	2932.36
908	NNQB2419X2/P5	95	225	135	32.6	650.62
909	NNQB2419X2/P2	95	225	135	32.6	3253.09
910	NJ624X3Q1/S-1	120	240	80	17.14	103.09
911	NJ624X3Q1/S0-2	120	240	80	17.14	103.09
912	NJ624X3Q1/S0	120	240	80	17.14	103.09
913	NJP624X3Q1/S0-1	120	240	80	17.2	110.77
914	NJP624X3Q1/S0-2	120	240	80	17.2	110.77
915	NJP624X3Q1/S0	120	240	80	17.8	110.77
916	NJ626X1Q1/S0-1	130	250	80	18.71	116.84
917	NJ626X1Q1/S0-2	130	250	80	18.71	116.84
918	NJ626X1Q1/S0	130	250	80	18.71	116.84
919	NJP626X1Q1/S0-1	130	250	80	18.67	122.56
920	NJP626Q1/S0	130	250	80	18.69	122.56
921	NJP626X1Q1/S0	130	250	80	18.7	122.56
922	NJ3226X1	130	250	80	18.71	116.84
923	NJ3226X1K1	130	250	80	18.3	116.84
924	NJ3226X1K2	129	250	80	18.3	116.84
925	NJP3226X1	130	250	80	18	122.56
926	NJP3226X1K1	130	250	80	18.46	122.56
927	NJP3226X1K2	129	250	80	18.46	122.56
928	LY-N001	145	180	18	1.06	12.03
929	NJ3232X2WB1Q1/S0	160	290	80	25.8	139.75
930	NU3232X2WBQ1/S0	160	290	80	27.1	126.00
931	NNU4138/P59	190	290	100	20.7	240.55
932	N640M	200	340	50	18.6	108.70
933	N646M/P6	230	370	80	37	216.49
934	N646M/P69	230	370	80	37	223.36
935	N646M	230	370	80	37	144.33
936	NF646WCM	230	370	80	37	134.02
937	NU2148X3M/C9	240	390	108	53.7	435.27
938	NNU4148/YB2	240	400	160	81.8	469.64

939	N650L/P6	250	380	50	19.8	256.58
940	LRN650L	283	380	50	13.8	234.82
941	LRN650L/P6	283	380	50	13.8	234.82
942	NU1152K/C3	260	440	82	52.7	414.65
943	NB656/YA1	280	440	135	98.9	805.25
944	NNB4156X2	280	460	200	137	1056.11
945	NNU4156	280	460	180		879.71
946	NNU4156/C9	280	460	180	120	879.71
947	N1061X2L1	305	460	65	35.2	310.42
948	NFP1061X2	305	460	65	41.1	332.18
949	N668M	340	530	133	117	823.58
950	N3176N	380	620	194	221	1074.44
951	NU1888X1	440	546	46	26.5	350.51
952	N1188	440	720	122	191	1512.00
953	NU3192/C3	460	760	240	435	4673.45
954	NU3196/C3	480	790	248	489	5269.09
955	NNU6/440/HCYA	440	640	230	237	6529.09
956	NNU6/440/HC	440	640	230	250	6529.09
957	NNU6/440/HC/C3	440	640	230	250	6529.09
958	NNU6/457	457	660	228	258	3298.91
959	NU31/500/C3	500	830	264	563	6070.91
960	NNU6/530/C3W33XYA 3	530	760	260	387	3963.27
961	NNU6/530/C3W33XYA 3/02	530			74.8	1317.27
962	NN6/560KW/P5C1W33	560	780	180	275	4306.91
963	NN49/560X3	560	780	180		1672.36
964	NU1/560X2+HJ1/560/C 3	560	920	128	381	2428.36
965	NNU6/600/HC	600	820	287	470	9163.64
966	NNU6/600/HC/C3	600	820	287	470	9163.64
967	NUP6/650	650	900	170	349	1947.27
968	NU6/700	700	930	160	295	1729.64
969	NUP6/700	700	930	160	308	1970.18
970	N6/840	840	1040	125	240	2084.73
971	NB6/840	840	1040	125	26.8	2497.09
972	N6/1900V/YA	1900	2100	130	515	7136.18
973	NU636M/C4	180	280	82	20	201.60
974	NU640M	200	320	80	29.3	206.18
975	NU644M	220	350	98.4	37.5	364.25
976	NU644M/C4	220	350	98.4	37.5	364.25
977	NU644M/C9	220	350	98.4	37.5	364.25
978	NNCL4848V	240	300	60	9.7	180.98

979	N2876/P63S0YA	380	480	60	24.6	1569.27
980	NUP2876/P6S0	380	480	60	26.4	1775.45
981	NUP6/508Q1/C9	508	662	95	65.1	1672.36
982	N18/560	560	680	56	43.3	1145.45
983	NJ18/560M	560	680	56	42.7	1443.27
984	NF28/560M	560	680	72	55.8	1615.09
985	NFP38/600X2M	600	730	90	89.1	1626.55
986	NFP38/600X2M/C3	600	730	90	89.1	1626.55
987	NFP38/600X2M/P6	600	730	90	92.6	2119.09
988	NFP38/630	630	780	112	119	2325.27
989	NFP38/630/P64	630	780	112	119	3024.00
990	NFP38/630/P63	630	780	112	119	3024.00
991	NFP38/630/P6	630	780	112	119	3024.00
992	NN48/630K/SPW33	630	780	150	159	9427.09
993	NFP6/666.75Q1/C9	667	838	114	146	2829.27
994	NJ18/670M	670	820	69	78.9	2281.75
995	NJ38/670Q1	670	820	112	123	3253.09
996	N38/750X2M/P6	750	920	120	178	3665.45
997	NJ18/800M	800	980	82	120	3665.45
998	NU18/1120X2/C3	1120	1360	112	333	7560.00
999	NU18/1120X2	1120	1360	112	333	7560.00
1000	NU18/1600/P69	1600	1950	155	1059	15807.27
1001	NU18/1600/P59	1600	1950	155	1059	17067.27
1002	NB3/18JR/YA4	52	15	3	0.18	3.68
1003	N82/32M	32	65	11	0.2	5.59
1004	N82/32M/P5	32	65	11	0.2	11.18
1005	N82/32M/P6	32	65	11	0.2	8.38
1006	NU6/127D	127	254	114	22.4	1088.18
1007	NNU4936X3/W33C9	180	260	84	15	172.96
1008	NU2938Q1/P53S0V2	190	260	42	6.45	358.53
1009	NU2938Q1/P6S0	190	260	42	6.45	270.33
1010	NU2938Q1/P63S0	190	260	42	6.45	270.33
1011	NU2938Q1/P53S0	190	260	42	6.58	350.51
1012	NU2938Q1/P57S0	190	260	42	6.45	350.51
1013	NU2938Q1/S0	190	260	42	6.45	191.29
1014	NU2938Q1C3S0	190	260	42	6.45	191.29
1015	NU2938M/P63S0	190	260	42	7.04	239.40
1016	NU2938M/P53S0	190	260	42	7.04	318.44
1017	NU2938M/C3S0	190	260	42	7.04	159.22
1018	NNU4938KM/P5	190	260	69	10.96	320.73
1019	NNU4938K/P5	190	260	69	10.96	320.73
1020	NN4930K/P5W20	200	280	80	14.1	646.04
1021	NNU4948	240	320	80	18.1	454.75

1022	NN4952K/P5YA1	260	360	100	29.2	948.44
1023	NN4952K/YA1/C3	260	360	100	29.2	676.96
1024	NNU4952	260	360	100	31.4	676.96
1025	NNU4952/W33	260	360	100	31.4	710.18
1026	NNU4952/C3W33-1	260	360	100	31.7	710.18
1027	NNU4956/C3	280	380	218	92.8	727.36
1028	NNU4960/SPW33	300	420	118	51.7	2119.09
1029	NNQP660	300	420	218	91.8	1970.18
1030	NN4964K/P5YA1	320	440	118	52	1143.16
1031	NNU4964/W33	320	440	118	53.4	816.71
1032	NNU4964K/P69W33	320	440	118	54.7	1214.18
1033	NN4968K/P5	340	460	118	53.8	1237.09
1034	NN4968K/P5YA1	340	460	118	53.8	1237.09
1035	NNU4972K/SPW33	360	480	118	57.6	4856.73
1036	NNU4972K/P5	360	480	118	57.8	1374.55
1037	NU1980	400	540	65	42.7	565.85
1038	NU1980/C3	400	540	65	42.7	565.85
1039	NN3980K/P5YA1	400	540	106	71.3	1119.11
1040	NNU4980BK/SPW33	400	540	140	94.2	4009.09
1041	NF1984/C9YA1	420	560	65	41.6	400.91
1042	NCF2984V	420	560	82	52.5	561.27
1043	NCF2992V	460	620	95	82.3	630.00
1044	N2992	460	620	95	82.4	540.65
1045	NU2992/P6	460	620	95	84	800.67
1046	NU2992/P5	460	620	95	84	916.36
1047	NU2992	460	620	95	84	616.25
1048	NU2992/C9	460	620	95	84	616.25
1049	NUP2992	460	620	95	87	654.05
1050	NUP2992/C3	460	620	95	152	654.05
1051	NNU3092X2N/YA5	460	620	160	152	1454.73
1052	NNU4992/P5YA1	460	620	160	136	1523.45
1053	NNU4992K/P5W33	460	620	160	137	1523.45
1054	NU29/500	500	670	100	99.5	797.24
1055	NUP29/500	500	670	100	105	996.55
1056	NNU49/500K	500	670	170	169	1947.27
1057	NU29/530	530	710	106	123	867.11
1058	NUP29/530	530	710	106	127	985.09
1059	NN39/530K/P5	530	710	136	149	1718.18
1060	NNU49/530K/SPW33	530	710	180	205	7789.09
1061	NNU49/530N/YA5	530	710	180	220	1557.82
1062	NN39/530K/SPW33	530	710	136	149	5578.36
1063	NN39/560/P6	560	750	140	188	1718.18
1064	NN39/560	560	750	140	188	1317.27

1065	NN39/560/W33	560	750	140	174	1386.00
1066	NN49/600K/P5	600	800	200	257	3619.64
1067	NN49/600K	600	800	200	257	2588.73
1068	N19/630	630	850	128	160	1090.47
1069	NU29/630	630	850	128	206	1649.45
1070	NUP6/660.4Q1/C9	660	864	108	174	3734.18
1071	NUP6/660.4M/C9YA5	660	812	108	123	1626.55
1072	NU19/670	670	900	103	188	1454.73
1073	N19/710	710	950	106	205	1638.00
1074	NU19/710	710	950	106	207	2130.55
1075	NUP19/710	710	950	106	220	2416.91
1076	NUO19/710/C9	710	950	106	220	2416.91
1077	NFP6/723.795Q1	724	908	121	198	5280.55
1078	NUP19/750	750	1000	112	255	2806.36
1079	NNU49/800K/SPW33	800	1060	258	624	17525.45
1080	NU29/950/P5	950	1250	175	563	7101.82
1081	NU29/950	950	1250	175	563	5074.36
1082	NU29/950/C3	950	1250	175	563	5074.36
1083	NUP29/950	950	1250	175	612	5349.27
1084	N39/950	950	1250	224	745	7239.27
1085	NU19/1060M	1060	1400	150	683	6620.73
1086	NU19/1060	1060	1400	150	683	6620.73
1087	NU6/1200	1200	1520	189	815	8396.18
1088	NU6/1200/C5	1200	1520	189	815	8396.18
1089	NU6/1200/C7	1200	1520	189	815	8396.18
1090	NU6/1200/C9	1200	1520	185	815	8396.18
1091	NU6/1200/P5YA	1200	1520	185	815	13287.27
1092	N6/1200D/C5	1200	1520	185	698	22519.64
1093	NU6/1200D/C5	1200	1520	185	698	22519.64
1094	NU19/1250	1250	1630	170	977	10538.18
1095	NU19/1320M	1320	1720	175	1164	11683.64
1096	NU19/1320	1320	1720	175	1164	10297.64
1097	NU6/2240	2240	2620	120	1263	15234.55
1098	NU6/2440/P5	2240	2620	100	481	13630.91
1099	FC182870/C4	90	140	70	4.08	45.82
1100	FC2028104/P6	100	140	104	5.18	109.96
1101	FC2842155/C4	140	210	155	18.9	129.44
1102	FC2842155/C9	140	210	155	18.9	129.44
1103	FC2842155/C9/02	140				38.83
1104	FC3045120	150	225	120	15.9	140.89
1105	FCD3248124/P69	160	240	124	19.5	378.00
1106	FC3248168/P6	160	240	168	19.5	381.44
1107	FC3248168	160	240	168	19.5	254.29

1108	FC3450170/P6	170	260	192	36.5	403.20
1109	FCD3652168/P69	180	260	168	30	431.84
1110	FC3652168/YA/P64	180	260	168	30	269.18
1111	FC3652168-1/C3	180	260	168	30	217.64
1112	FC3652168-1/C4	180	260	168	30	217.64
1113	FC3652168-1	180	260	168	30	217.64
1114	FC3652180/P53	180	280	180	55	600.22
1115	FC3854200/P6	190	270	200	36	481.09
1116	FC3854200-1	190	270	200	37.1	252.00
1117	FC3854200-1/C3	190	270	200	37.1	252.00
1118	FC3854200-1/C4	190	270	200	37.1	252.00
1119	LFC4058192/02	200		192		96.22
1120	FC4058192/P54/02	200		192	13	193.58
1121	FC4058192/P54	200	290	192	42.8	643.75
1122	FC4260210/C3	210	300	210	47.5	367.69
1123	FC4462192	220	310	192	57	411.22
1124	FC4666206/S0/P64	230	330	206	59.3	555.55
1125	FC5274220-1	260	370	220	77.3	538.36
1126	FC5274220-1/C3	260	370	220	77.3	538.36
1127	FC5274220-1/C4	260	370	220	77.3	538.36
1128	FC5274220	260	370	220	77.3	534.93
1129	FC5274220A/C3	260	370	220	77.3	534.93
1130	FC5274220/YAC4	260	370	220	80.8	698.73
1131	FC5274220/YAC4/02	260	370	220		209.62
1132	FC5274220/P6	260	370	220	77.3	695.29
1133	FC5274220/P6/C4	260	370	220	77.3	695.29
1134	FC5676220/P5	280	308	220	71.3	1546.36
1135	FCDP5678275/HCYB/P5	280	390	275	105	1729.64
1136	FC5678220/SO/P64	280	390	220	83.4	774.33
1137	FC5678220	280	390	220	83.4	643.75
1138	FC5678220/C4	280	390	220	83.4	643.75
1139	FC5882240A	290	410	240	102	687.27
1140	FC5882240A/C4	290	410	240	102	687.27
1141	FC5882240/YAC4	290	410	240	91.9	687.27
1142	FCDP6084300/C4	300	420	300	133	1649.45
1143	FCD6084300/C4	300	420	300	128	761.73
1144	FCD6084300/C9	300	420	300	128	761.73
1145	FCD6496290/P52	320	480	290	186	3092.73
1146	FCD6496290	320	480	290	186	2210.73
1147	FCD6496350/P5	320	480	350	225	3264.55
1148	FC6496350/C3YB2	320	480	350	225	1683.82
1149	FCD6496350	320	480	350	225	1683.82

1150	FC6890250	340	450	250	109	1248.55
1151	FCD6896350/P5	340	480	350	230	3459.27
1152	FCD74104380/P5	370	520	380	253	3642.55
1153	FCD76108400/C9	380	540	400	291	1420.36
1154	FCD76108400/C4	380	540	400	291	1420.36
1155	FCD76100300	380	500	300	156	1718.18
1156	BFCDP80112410/P5	400	560	410	320	3665.45
1157	FCDP92130470M/HC	460	650	470	500	4123.64
1158	FC92136400	460	680	400	522	4891.09
1159	FCDP96130450/P54	480	650	450	448	5188.91
1160	FCD96130450/P53	480	680	500	607	7960.91
1161	FCD96130450/P5C2	480	650	450	453	5188.91
1162	FCD96130450/P5C4	480	650	450	453	5188.91
1163	FCD100134450/P6	500	670	450	441	11362.91
1164	FCD100134450	500	670	450	441	8739.82
1165	RFCDP100134450/P6	540	670	450		8247.27
1166	FCDP100144530/P6	500	720	530	748	10652.73
1167	FCDP112164600/P63	560	820	600	1071	14890.91
1168	FCD112164630	560	820	630	800	12943.64
1169	FCD112156360/C9S3	560	780	360	532	4914.00
1170	FCD114163594/P5	570	815	594	1066	16494.55
1171	FCDP120174640	600	870	640	1294	13630.91
1172	FCDP120170575/C3	600	850	575	1101	14318.18
1173	FCDP120174640K1	600	870	640	1294	13630.91
1174	FCD120174640K/P5	600	870	640	1286	14661.82
1175	FCD120174640K1/P63	600	870	640	1294	13630.91
1176	FCD132215650	658	1075	650	2400	17640.00
1177	FCD132215650/P5YA1	658	1075	650	2400	24741.82
1178	FCD132215650/YA1	658	1075	650	2400	17640.00
1179	FCD138196715/P5	690	980	715	1862	16494.55
1180	FCD138196715/P52	690	980	715	1862	16494.55
1181	FCD150227690X3/C4	748	1135	690	2570	21190.91
1182	FCD152215788	760	1080	788	2403	23481.82
1183	BFCDP160216700/P64	800	1080	700	1981	19587.27
1184	FCD160216700/P64YA4	800	1080	700	1912	19587.27
1185	FCD166216710	830	1080	710	1746	21534.55
1186	FCD170230840/P59	850	1150	840	2529	26574.55
1187	FCDP180244840/HC/P6 4	900	1220	840	3010	29781.82
1188	FCD190260850	950	1300	850	3523	31270.91
1189	FCD190260850/P6YA1	950	1300	850	3523	40663.64
1190	NUTA90X2/S2	30	90	94	2.3	74.45
1191	NUKR90X2/S2	30	90	94	2.1	56.70

1192	NUTR205	25	52	24	0.24	12.14
1193	NUTR208	40	80	30	0.93	19.24
1194	NUTR310	50	110	30	1.73	27.72
1195	NUTR3072X	30	72	28	0.7	6.87
1196	NUTR45100	45	100	30	1.4	28.98
1197	NUTR45110X	45	110	30	1.79	8.02
1198	NUTR50110	50	110	32	1.7	42.15
1199	NUTR60130X	60	130	62	4.86	85.91
1200	NUTR65150/S1	65	150	52	5.42	49.03
1201	NUTR130250	130	250	103	26.8	170.67
1202	NNQB4238X2M/P5	180	400	220	156	1981.64
1203	NNTB626/P2	130	300	173		1935.82
1204	NNTB626/YA	130	300	170	68.25	1569.27
1205	NFP6/666.75	666	838	114	154	2096.18
1206	NFP6/666.75/C3	666	838	114	154	2096.18
1207	NFP6/666.75/C9	667	838	114	154	2199.27
1208	NFP6/666.75/P63	666	838	114	154	2726.18
1209	NFP6/666.75/P6	666	838	114	154	2726.18
1210	NFP6/666.75/P6C9	667	838	114	154	2829.27
1211	N6/368.3/C3	369	558	114	101	1466.18
1212	NU6/1500/YA	1500	1800	150	805	5028.55
1213	NUP6/32.5M	32	62	16	0.24	4.32
1214	NF3328X2M/P69	140	300	114	4303	376.85
1215	NF619M/P65	95	220	67	13.9	154.64
1216	NF619/P65	95	220	67	13.9	154.64
1217	NF622M/P6C9	110	260	92	27.4	240.55
1218	NCL2205V/P6YA4	25	52	18	0.17	3.96
1219	313581A	230	365	250	78	652.91
1220	ZR14206VDBPX1	710	870	320	414	6300.00
1221	SL800*980*180PX1	800	980	180	295	3436.36
1222	TK-N201	110	260	110	34.5	176.40