




Luoyang Jiecheng Bearing Technology Co., Ltd

Tel:0086-379-68611678 Fax:0086-379-68611679

Email: sales@jcb-bearing.com

Product list of spherical roller bearing(23 series)



Bearing designation	Basic Dimension			limiting speed		rated load		RE.weight
	d	D	B	Grease	Oil	Cr	Cor	
23120CA	100	165	52	2000	2800	322	490	4.55
23120CAK	100	165	52	2000	2800	322	490	4.55
23220CA	100	180	60	1700	2200	414.00	600	6.70
23220CAK	100	180	60	1700	2200	414.00	600	6.70
23022CA	110	170	45	2200	3000	267	440	3.80
23022CAK	110	170	45	2200	3000	267	440	3.80
23122CA	110	180	56	1900	2600	430	585	5.75
23122CAK	110	180	56	1900	2600	430	585	5.75
23222CA	110	200	70	1600	2000	518.00	765	9.70
23222CAK	110	200	70	1600	2000	518.00	765	9.70
23024CA	120	180	46	2000	2800	355	500	4.20
23024CAK	120	180	46	2000	2800	355	500	4.20
23124CA	120	200	62	1800	2400	510	695	8.00

23124CAK	120	200	62	1800	2400	510	695	8.00
23224CA	120	215	76	1500	1900	610.00	930	12.00
23224CAK	120	215	76	1500	1900	610.00	930	12.00
23026CA	130	200	52	1900	2600	430	610	6.00
23026CAK	130	200	52	1900	2600	430	610	6.00
23126CA	130	210	64	1700	2200	489	780	8.80
23126CAK	130	210	64	1700	2200	489	780	8.80
23226CA	130	230	80	1300	1700	690.00	1060	14.00
23226CAK	130	230	80	1300	1700	690.00	1060	14.00
23028CA	140	210	53	1800	2400	465	680	6.55
23028CAK	140	210	53	1800	2400	465	680	6.55
23128CA	140	225	68	1600	2000	546	900	10.5
23128CAK	140	225	68	1600	2000	546	900	10.5
23228CA	140	250	88	1200	1600	799.00	1250	18.50
23228CAK	140	250	88	1200	1600	799.00	1250	18.50
23030CA	150	225	56	1700	2200	510	750	7.95
23030CAK	150	225	56	1700	2200	510	750	7.95
23130CA	150	250	80	1400	1800	725	1200	16.0
23130CAK	150	250	80	1400	1800	725	1200	16.0
23230CA	150	270	96	1100	1500	937.00	1460	24.00
23230CAK	150	270	96	1100	1500	937.00	1460	24.00
23032CA	160	240	60	1700	2200	585	880	9.70
23032CAK	160	240	60	1700	2200	585	880	9.70
23132CA	160	270	86	1300	1700	980	1370	20.5
23132CAK	160	270	86	1300	1700	980	1370	20.5
23232CA	160	290	104	1000	1400	1070.00	1660	30.00
23232CAK	160	290	104	1000	1400	1070.00	1660	30.00
23034CA	170	260	67	1600	2000	710	1060	13.0
23034CAK	170	260	67	1600	2000	710	1060	13.0
23134CA	170	280	88	1200	1600	1040	1500	22.0
23134CAK	170	280	88	1200	1600	1040	1500	22.0

23234CA	170	310	110	950	1300	1220.00	1930	36.50
23234CAK	170	310	110	950	1300	1220.00	1930	36.50
23036CA	180	280	74	1400	1800	830	1250	17.0
23036CAK	180	280	74	1400	1800	830	1250	17.0
23136CA	180	300	96	1100	1500	1200	1760	28.0
23136CAK	180	300	96	1100	1500	1200	1760	28.0
23236CA	180	320	112	900	1200	1290.00	2120	39.00
23236CAK	180	320	112	900	1200	1290.00	2120	39.00
23038CA	190	290	75	1300	1700	865	1340	18.0
23038CAK	190	290	75	1300	1700	865	1340	18.0
23138CA	190	320	104	1000	1400	1370	2080	35.0
23138CAK	190	320	104	1000	1400	1370	2080	35.0
23238CA	190	340	120	850	1100	1460.00	2400	47.50
23238CAK	190	340	120	850	1100	1460.00	2400	47.50
23040CA	200	310	82	1200	1600	1000	1530	23.3
23040CAK	200	310	82	1200	1600	1000	1530	23.3
23140CA	200	340	112	950	1300	1600	2360	43.0
23140CAK	200	340	112	950	1300	1600	2360	43.0
23240CA	200	360	128	850	1100	1610.00	2700	57.00
23240CAK	200	360	128	850	1100	1610.00	2700	57.00
23044CA	220	340	90	1100	1500	1220	1860	30.5
23044CAK	220	340	90	1100	1500	1220	1860	30.5
23144CA	220	370	120	900	1200	1800	2750	53.5
23144CAK	220	370	120	900	1200	1800	2750	53.5
23244CA	220	400	144	750	950	2070.00	3450	79.50
23244CAK	220	400	144	750	950	2070.00	3450	79.50
23048CA	240	360	92	1000	1400	1290	2080	33.5
23048CAK	240	360	92	1000	1400	1290	2080	33.5
23148CA	240	400	128	850	1100	2080	3200	66.5
23148CAK	240	400	128	850	1100	2080	3200	66.5
23248CA	240	440	160	670	850	2530.00	4300	110.00

23248CAK	240	440	160	670	850	2530.00	4300	110.00
----------	-----	-----	-----	-----	-----	---------	------	--------